

Contents

Introduction	3
Argyrotype	4
Overview of Argyrotype	
Chemicals for Preparing Sensitiser	
Apparatus for Preparing Sensitiser	
Equipment and Materials	
Preparation of Argyrotype Sensitiser	
Alternative Preparation of Silver(I) Oxide	
Notes on Argyrotype	
Choice of Paper	
Coating and Drying	
Printing Exposure and Negatives	
Wet Processing Procedure	
Permanence and Toning	
New Chrysotype	13
Overview of Chrysotype	
Chemicals for Preparing New Chrysotype Sensitiser	
Chemicals for Processing New Chrysotypes	
Apparatus for New Chrysotype Sensitiser	
Equipment for Printing Chrysotypes	
Preparation of New Chrysotype Sensitiser Solutions A, B & C	
Notes on New Chrysotype	
Choice of Paper	
Choice of Sensitiser	
Mixing Sensitiser Solutions	
Coating and Drying	
Regulating Humidity	
Printing Exposure and Negatives	
Controlling Gold Image Colour	
Wet Processing Procedure	

New Cyanotype	27
Overview of Cyanotype	
Chemicals for Preparing New Cyanotype Sensitiser	
Chemicals for Toning Cyanotypes	
Apparatus for Preparing Sensitiser	
Equipment and Materials	
Preparation of New Cyanotype Sensitiser	
Notes on New Cyanotype	
Choice of Paper	
Addition of Citric Acid to the Sensitiser	
Addition of Surfactant to the Sensitiser	
Coating and Drying	
Printing Exposure and Negatives	
Wet Processing and Contrast Control	
Toning Cyanotypes	
Platino–palladiotype	37
Overview of Platinotype and Palladiotype	
Platinum Allergy: Health and Safety	
Chemicals for Preparing Platino–palladiotype Sensitiser	
Chemicals for Processing Platino–palladiotypes	
Apparatus for Preparing Sensitiser	
Equipment and Materials	
Preparation of Platino–palladiotype Sensitiser	
Notes on the Platino–palladiotype Process	
Choice of Paper	
Choice of Sensitiser Composition and Image Colour	
Sensitiser Characteristics	
Choice of Print Contrast	
Mixing the Sensitiser Solutions	
Coating and Drying	
Humidifying	
Wet Processing Procedure	
Data Sheet	50

Introduction

The Siderotype Manual: workshop notes is intended as a companion and extension of Mike Ware's *The Chrysotype Manual: The Science and Practice of Photographic Printing in Gold*. Together, the two works provide the most up-to-date, detailed and comprehensive instruction in photographic printing utilising silver, gold, Prussian blue, platinum and palladium. The processes covered represent the primary core of iron-based or siderotype printing – argyrotypes, new chrysotypes, new cyanotypes, and platino-palladiotypes.

The *workshop notes* provide a succinct history of each process, chemical details, necessary apparatus and equipment, process-specific notes, details of coating, drying, negative density, wet processing procedures and toning.

The Chrysotype Manual presents detailed material covering ultraviolet lighting, characteristics of negatives, drying and flattening prints, suppliers of equipment and chemicals, manufacture and characteristics of paper, chemical practice, three versions of the chrysotype sensitiser and an appendix containing technical details unavailable elsewhere.

These texts together represent the past 30 years of research by Mike Ware and are the culmination of his work in the siderotype processes. For a history of early siderotype photography, Mike Ware's *Gold in Photography: The History and Art of Chrysotype* is recommended.

The Chrysotype Manual
The Science and Practice of Photographic Printing in Gold

Mike Ware

ffotofilm publishing

Published 2006
All rights reserved

The author and publishers of this book hereby deny liability for any consequent injury, sickness, damage, or loss resulting from the use of the information contained herein.

© Mike Ware 2006 www.mikeware.co.uk

Cover design by Tania Fardella www.indigodesign21.com

Printed in England on acid free paper by The Cromwell Press,
Aintree Avenue, White Horse Business Park, Trowbridge, BA14 0XB, UK
www.cromwellpress.co.uk

ISBN 9780955112904

ffotofilm publishing, Brighton Media Centre, 68 Middle street, Brighton, BN1 1AL, UK
www.ffotofilm.co.uk

Contents

Preface	11
Acknowledgements	13
1 Preparing for Iron-based Printing	15
The Working Environment	15
Ambient Lighting	15
Safe-Light Test.....	16
List of Materials and Equipment	17
Contact-Printing Frames.....	19
Ultraviolet Light Sources.....	21
Geometry of Illumination	26
Characteristics of Negatives	28
Wet Processing Arrangements	28
Drying and Flattening Prints.....	29
Finishing and Retouching Prints.....	30
Suppliers of Equipment and Chemicals.....	32
2 Choice and Coating of Paper	37
The Manufacture of Paper	38
Characteristics of Papers	38
Furnishings	38
Wove or laid moulds	39
Deckle edges.....	39
Wire and felt sides	39
Watermarks.....	40
Machine direction.....	40
Surface texture.....	41
Ream and sheet sizes	41
Dry and wet lengths.....	43
Weight	44
Sizing Agents.....	45
Surface-Sizing Paper with Gelatin.....	46
pH Buffers	47
Other Additives.....	48
Choice of Paper for Siderotypes	48
Buxton and Talbot – ‘bespoke’ handmade papers	50
Storage and Handling of Paper	51
Sensitiser Absorption and Wetting Agents.....	51

Methods of Coating Paper	53
Coating by glass rod	54
Coating by brush	58
Drying Sensitised Paper.....	58
Enclosures for Regulating Humidity	59
Equilibrium method.....	59
Timed method.....	60
Effect of humidity on printout.....	61
Construction of hydration enclosures.....	61
Suppliers of Fine Papers	63
3 Chemical Practice	67
Warning and Disclaimer	67
General Advice on Chemical Manipulations	67
Practical safety considerations	67
Cleaning glassware.....	68
Chemical Measurements.....	68
Precision and accuracy	69
Measuring volumes of liquids	69
Weighing solids	72
Making up Solutions.....	72
Techniques of Filtration.....	73
Expressions of Concentration.....	73
Concentration as weight percent volume (% w/v).....	74
Concentration as Molarity	74
Calculating dilutions	74
The Choice of Gold Salt	75
Opening sealed glass vials.....	76
4 New Chrysotype Processes	79
New Chrysotype: Version ‘S’	80
Chemicals Required for the Sensitiser.....	80
Chemicals Required for Processing.....	80
Apparatus Required for Making up the Sensitiser.....	81
Preparing Stock Solutions for Version ‘S’ Sensitiser.....	82
A. Ligand solution (1.4 molar).....	82
B. Gold solution (0.35 molar).....	83
C. Iron solution (1.4 molar).....	85
Mixing the Sensitiser Solution for Version ‘S’	86
Coating and Drying	88
Regulating the Humidity of the Paper	88

Water hydration chamber (time-dependent or kinetic method).....	89
Salt hydration chambers (equilibrium method).....	89
Exposure	90
Making up the Processing Solutions.....	90
Recommended Developer	90
Alternative Developers.....	90
Clearing Baths #I and #III	91
Clearing Bath #II.....	91
Processing of the Exposed Print	91
Summary of the Steps in the New Chrysotype Process	93
Controlling the Contrast	94
Controlling the Colour.....	94
Hydration of the coating prior to exposure.....	94
Effect of the sizing agent.....	94
Choice of developing agent.....	95
New Chrysotype Version 'M'	96
Preparing Stock Solutions for Version 'M' Sensitiser	96
A. Ligand solution (1.4 molar).....	96
Mixing the sensitiser for Version 'M'	97
Differences in use between Versions 'M' and 'S'	97
Coating the paper.....	97
Drying.....	97
New Chrysotype Version 'P'	98
Preparing Stock Solutions for Version 'P' Sensitiser.....	98
A. Ligand solution (1.4 molar).....	98
B. Gold solution (0.35 molar).....	99
C. Iron solution (1.4 molar).....	100
D. Sodium hydroxide solution (14 molar).....	100
Mixing the Sensitiser for Version 'P'	101
Intensification and Reduction of Chrysotypes.....	103
New Chrysotype Data Sheet	104
5 Negatives	105
Requirements for Suitable Negatives	105
Development of Camera Films.....	105
Making Enlarged Internegatives.....	106
1. Direct duplicating film	106
2. Via an interpositive.....	107
3. From diapositives	107
4. Paper negatives.....	108

5. Reversal processing.....	108
Use of Step Tablets	110
Digital negatives	110
Appendix 1. Chemical Resources.....	115
Description of Chemicals.....	115
Alphabetical List of Chemicals.....	117
Suppliers of Chemicals.....	123
Appendix 2. Chemical Preparations	125
Preparation of Ammonium Iron(III) Oxalate.....	125
Preparation of Hydrogen Tetrachloroaurate from Gold Metal	126
Aqua regia	126
Dissolution of gold in aqua regia.....	127
Gold assay	128
Appendix 3. Reference Data.....	131
Conversion of Obsolete Units in Old Formulae	131
Concentration as weight percent volume (% w/v).....	133
Concentration as weight percent weight (% w/w).....	133
Concentration as volume percent volume (% v/v)	133
Early formulations and recipes.....	133
Modern formulations and recipes.....	134
Interconversion of Cw and C.....	135
Appendix 4. Chemistry of Noble Metal Printing	137
Iron-based Photochemistry	137
Choice of the photosensitive iron(III) salt.....	138
Problems of chrysotype chemistry	140
Chemistry of New Chrysotype: Gold(I) Complexes	141
Warning: Fulminating Gold.....	143
The Chemical Nature of Paper74	143
The Importance of Humidity	146
The Chemistry of Print Clearing.....	149
Removal of Iron stains.....	150
Appendix 5. Quantitative Photochemistry	151
Summary of the Principles of Photochemistry	151
The Grotthus-Draper Law	151
The Stark-Einstein Law.....	151
Planck's Law	152
The Bunsen-Roscoe Law	152
The Beer-Lambert Law	153
Effect of Excitation Wavelength on Photochemical Yield.....	153

The spectral power distribution of the light source.	153
The variation of quantum yield with wavelength.....	154
Fraction of incident light absorbed by the photoactive species.....	156
Absorption of actinic light by the printing equipment.	159
Theoretical Estimation of Exposure Times.....	159
Appendix 6. Technical Glossary	163
Notes and References	189
Index	197

Preface

Throughout its 170-year-history, the practice of photography has been governed by the photochemistry of silver halides. Their ability to form a developable latent image provides the unique means of securing negatives ‘instantaneously’ in the camera. Making prints from these negatives, however, is a more leisured business - exposures can be lengthy and light sources intense - so the door is also open to a whole range of ‘non-silver’ printing processes, much slower than the bromide enlarging papers of the commercial monoculture. The so-called ‘alternative’ photographic printing processes, such as platinotype, cyanotype, gum dichromate or carbon, were supported by industrial products in the 19th and early 20th century, but the pressure of competition with the silver-gelatin medium has since declared them commercially non-viable. They are now finding a renaissance among specialist enthusiasts, who hand-coat their own printing papers with the light-sensitive chemicals.

At the time of writing, we are caught up in a profound revolution in the technology of lens-based media. Silver photochemistry is being forced to abdicate its hegemony in favour of photophysics: analogue chemical imaging is rapidly giving way to digital optoelectronics, and the desktop computer is taking over from the ‘wet’ darkroom. While the revolution is busy replacing silver-gelatin negatives wholesale by strings of binary code, there still remains the question of how best to make permanent that ultimate visual product - the photographic image. For many purposes, the ink-jet print serves well enough, but in the area of fine art and archival images, the alternative printing processes can still offer some unique and satisfying qualities.

The platinotype, once the preferred medium of many exhibiting art-photographers, has lately regained its position as a well-established minority practice. Together with its close homologue, palladiotype, it continues to justify the nineteenth century claim that this finest of processes is “simple, beautiful, and permanent”. But the adjacent noble metal, gold, has never succeeded in gaining acceptance within the photographic repertoire, apart from its use as a toning agent to stabilise and improve silver images. This was despite the early invention, by Sir John Herschel in 1842, of a pure gold printing process which he dubbed ‘chrysotype’. However, the only gold salts known in Herschel’s day were too reactive for the sensitizer, and had to be contained in a developer bath, which rapidly became contaminated, so making the process uneconomic. Sporadic attempts to improve on Herschel’s chrysotype found little success, and by 1900 all the authorities on photographic technology were unanimous in discounting the gold process *per*

THE CHRYSOTYPE MANUAL

se as a photographic medium. Chrysotype lay forgotten for over eighty years, until I revisited the problem armed with some knowledge of modern chemistry. By 1992 I had developed an economic working process, comparable with platinotype, which I simply called ‘new chrysotype’, in honour of Herschel’s original invention.

Gold, as a pigment, has higher covering power than the other noble metals, a benefit which makes its use significantly less expensive than platinum or palladium. New chrysotype shares with its sister-processes, platinotype and palladiotype, the same characteristics of a totally matte print surface and a very delicate tonal gradation. It also offers a valuable bonus: besides neutral grey tones, chrysotypes can be made in a wide range of subtly-muted colours, including pink, magenta, brown, purple, violet, blue or green. The creative monochrome photographer should find here an extra dimension to explore, in which the colour of an image can be matched to the expressive intent of its maker. The hue of the print is determined by the chemistry of the sensitizer and the conditions of processing, so the photographic artist has full control of this palette of non-literal colour. New chrysotype thus offers advantages in the beauty and permanence of its images – advantages that I hope may qualify it in the future as a unique medium of artistic photographic practice.

Prospective users of the new chrysotype gold-printing process should find all the practical information they need within this workshop manual. Much of its content is also relevant to the allied iron-based processes, platinotype and palladiotype, so it should interest the practitioners of these well-established printing techniques. This handbook provides the essential working information in a suitable format; it is complemented by my companion work: *Gold in Photography: the History and Art of Chrysotype*, which explores the historical, cultural, and aesthetic backgrounds to the uses of gold for imaging.

All the preparations, materials, and equipment needed for setting-up an iron-based printing studio are listed and described in Chapter 1, with suggestions for sources of supply. An integral part of most hand-made photographs, especially chrysotypes, is the paper substrate, where the image resides in the surface fibres of the sheet and not in a binder layer coated upon it. Fine papers, their constitution and properties, are considered in Chapter 2, which lists the characteristics that are essential to their successful functioning with the iron-based processes. Chapter 3 provides some instruction in relevant chemical handling techniques and procedures, with due regard to issues of health and safety.

The core of this manual resides in Chapter 4, which publishes, for the first time, the full practical details for working three differing versions of my new

PREFACE

chrysotype process, explaining their differences and relative advantages. Other versions of chrysotype have also been developed, which offer further scope for modifying the appearance of the gold image, but they are not described here because their use could incur certain hazards that preclude their being published as methods recommended for the general public.

An essential prerequisite for the process is a negative having an appropriate density range; Chapter 5 therefore outlines several methods for the making of large negatives, including an introduction to the digital methods, using a desktop computer.

All the technical material that is not essential to the 'hands-on' practice, is gathered into a set of appendices, which may be consulted for reference or educational purposes. Appendix I provides a list of all the relevant chemicals in this work, their properties, and associated hazards, together with suppliers' catalogue numbers. Appendix II describes some 'do it yourself' chemistry for practical workers who prefer to prepare their own chemicals. Appendix III provides reference tables for the conversion of the antique and obsolete units that may be encountered in the early literature, largely for the benefit of those interested in re-interpreting historical recipes. Appendix IV carries an account of the chemical underpinnings of the process for those who are fluent in the language of reactions and molecular formulae. Appendix V offers a quantitative treatment, for the mathematically-inclined, of the factors influencing photochemical exposures for image-making. Appendix VI is a glossary, intended to de-mystify any technical jargon unfamiliar to the general reader.

Acknowledgements

I am grateful to Professor Roger Vail for organising and providing a student workshop in Monterey County, California, to 'road-test' the new chrysotype process in 2000, and to Professor Pradip Malde for his collaboration. For their experimental and theoretical contributions to understanding certain aspects of the chemistry of gold and iron, I acknowledge the work of several of my erstwhile students in the Department of Chemistry at the University of Manchester, and especially the researches of Annie K. Powell. This Manual would not have reached print without the enthusiasm and commitment of my editor-publisher, Paul Daskarolis. Ευχαριστώ!

Mike Ware
Buxton 2006

THE CHRYSOTYPE MANUAL